

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4	effect near5 pigment near5 aluminum near5 core	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/21 16:53
S2	2	("5624486").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/09/24 10:49
S3	2	("20070104663").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/09/24 10:43
S4	2	S3 and chalcogenide	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/21 17:37
S5	413	106/400.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/21 17:37
S6	1051	424/61.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/21 17:37
S7	518	106/404.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/21 17:37
S8	644	106/415.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/21 17:37
S9	410	106/31.9.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/21 17:37
S10	395	106/31.65.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/21 17:37
S11	317	424/70.7.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/21 17:38

S12	1076	424/64.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/21 17:38
S13	3479	428/403.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/21 17:38
S14	1818	428/404.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/21 17:38
S15	8645	S5 S6 S7 S8 S9 S10 S11 S12 S13 S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/21 17:38
S16	2	("20070104663").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/09/24 10:43
S17	1	S16 and (form near factor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/24 10:43
S18	1	S16 and (form near factor) and gradient	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/24 10:48
S19	2	("5624486").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/09/24 10:49
S20	0	S19 and oxidation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/24 10:52
S21	1	S19 and iron	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/24 10:52
S22	413	106/400.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/24 10:54
S23	1051	424/61.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/24 10:54

S24	518	106/404.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/24 10:54
S25	644	106/415.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/24 10:54
S26	410	106/31.9.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/24 10:54
S27	395	106/31.65.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/24 10:54
S28	317	424/70.7.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/24 10:54
S29	1076	424/64.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/24 10:54
S30	3479	428/403.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/24 10:54
S31	1818	428/404.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/24 10:54
S32	8645	S22 S23 S24 S25 S26 S27 S28 S29 S30 S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/24 10:54
S33	8	S32 and ((aluminum near2 (oxide or hydroxide)) with pigment same (layer or layered or layers) same (high\$3 near2 refractive))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/24 10:59
S34	3456	effect near pigment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/24 10:59
S35	3	(effect near pigment) same (wet near chemical near5 oxidation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/24 10:59

S36	3	(effect near pigment) and (wet near chemical near5 oxidation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/24 11:01
S37	328	(wet near chemical near5 oxidation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/24 11:01
S38	0	(wet near chemical near5 oxidation) same aluminum near (oxide or hydroxide)) same ((silicon near oxide) or "SiO.sub.2") same ((iron near oxide) or "Fe.sub.2 O. sub.3")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/24 11:02
S39	0	(wet near chemical near5 oxidation) same aluminum same ((silicon near oxide) or "SiO. sub.2") same ((iron near oxide) or "Fe.sub.2 O. sub.3")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/24 11:02
S40	3182	(aluminum near (oxide or hydroxide)) same ((silicon near oxide) or "SiO.sub.2") same ((iron near oxide) or "Fe.sub.2 O.sub.3")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/24 11:21
S41	0	(aluminum near (oxide or hydroxide)) same ((silicon near oxide) or "SiO.sub.2") same ((iron near oxide) or "Fe.sub.2 O. sub.3") and (wet near2 chemical near5 oxidation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/24 11:20
S42	4	(aluminum near (oxide or hydroxide)) same ((silicon near oxide) or "SiO.sub.2") same ((iron near oxide) or "Fe.sub.2 O. sub.3") near50 (oxidation near5 aluminum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/24 11:22
S43	15049	oxidation near5 aluminum	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/24 11:23

S44	7055	oxidation near2 aluminum	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/24 11:24
S45	3	(oxidation near2 aluminum) near20 (wet near2 chemical)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/24 11:25
S46	0	Ep-0451785-\$ did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/24 13:48
S47	0	EP-0451785-\$ did	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/24 13:48
S48	2	EP-451785-\$ did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/09/24 13:48
S49	2	("5964936").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/03/05 14:24
S50	14	((wet near chemical) with pigment) same (aluminum or (aluminum near5 (alloy or oxide or hydroxide)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/03/05 15:02
S51	76	henglein.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/03/05 15:45
S52	245	birner.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/03/05 15:45
S53	1278	gruner.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/03/05 15:45
S54	1594	S51 S52 S53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/03/05 15:45
S55	19	S54 and (pigment with aluminum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/03/05 15:45

S56	0	EP-0580022-\$ did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/03/05 16:27
S57	1	EP-580022-\$ did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/03/05 16:27
S58	2	("4374306").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/03/05 16:57
S59	4	("3413487"   "3789803"   "4027223"   "B472284").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/05 16:57
S60	5	("4374306").URPN.	USPAT	OR	ON	2008/03/05 16:57
S61	15294	aluminum with (layer or layered or core) same (coating or coated or covered or envelop) same ((aluminum near hydroxide) or (aluminum near oxide) or alumina or "Al. <sub>2</sub> O. <sub>3</sub> " or "Al <sub>2</sub> O <sub>3</sub> " or "Al. <sub>2</sub> O. <sub>3</sub> " sub.3" or "Al(OH).sub.3" or "Al(OH) <sub>3</sub> ")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/03/05 17:00
S62	15294	(aluminum with (layer or layered or core)) same (coating or coated or covered or envelop) same ((aluminum near hydroxide) or (aluminum near oxide) or alumina or "Al. <sub>2</sub> O. <sub>3</sub> " or "Al <sub>2</sub> O <sub>3</sub> " or "Al. <sub>2</sub> O. <sub>3</sub> " sub.3" or "Al(OH).sub.3" or "Al(OH) <sub>3</sub> ")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/03/05 17:00
S63	428	106/400.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/03/05 17:00
S64	11	S62 and S63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/03/05 17:00

S65	494	(aluminum near5 core) same (coating or coated or covered or envelope) same ((aluminum near hydroxide) or (aluminum near oxide) or alumina or "Al sub.2 O sub.3" or "Al <sub>2</sub> O <sub>3</sub> " or "Al.sub.2 O. sub.3" or "Al(OH).sub.3" or "Al(OH) <sub>3</sub> ")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/03/05 17:03
S66	48	S65 same pigment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/03/05 17:03
S67	2	("6596070").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/03/07 08:50
S68	851	(oxidation or oxidized or oxidizing) with aluminum same pigment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/03/10 14:15
S69	305	(oxidation or oxidized or oxidizing) with aluminum same pigment same (layered or layer or multilayer or multi-layered or multi-layer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/03/10 14:16
S70	51	(oxidation or oxidized or oxidizing) with aluminum same pigment same (layered or layer or multilayer or multi-layered or multi-layer) same thickness	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/03/10 14:17
S71	5	(oxidation or oxidized or oxidizing) with aluminum with (chemical near wet) same pigment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/03/10 16:03
S72	18	aluminum with (chemical near wet) with (oxidation or oxidized or oxidizing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/03/10 16:04
S73	11	(("4123267") or ("4190321") or ("4252843") or ("4396643") or ("5262360")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/03/10 16:09
S74	1	S73 and (wet near5 chemical)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/03/10 16:10

S75	8	S73 and aluminum	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/03/10 16:19
S76	38	aluminum same (chemical near wet) with (oxidation or oxidized or oxidizing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/03/10 16:21
S77	20	S76 not S72	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/03/10 16:21
S78	2	("5624486").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/03/11 14:40
S79	19	("2885366"   "3053683"   "3074801"   "3438796"   "3767443"   "4328042"   "4552593"   "4676838"   "4867793"   "4879140"   "4978394"   "5026429"   "5059245"   "5277711"   "5364467").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/11 14:40
S80	0	S79 same (wet near2 chemical)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/03/11 14:44
S81	2447	427/215-218.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/03/11 14:47
S82	207	S81 and (aluminum with (coating or coated) with oxide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/03/11 14:47
S83	10	S81 and (aluminum with (coating or coated) with oxide) and (wet near2 chemical)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/03/11 14:47
S84	5	("5261955") or (("2885366")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/03/11 14:55
S85	1	S84 and ((aluminum or aluminium) near oxide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/03/11 15:11

S86	12905	((organic near solvent) or alcohol or ketone or glycol or ethanol or propanol or isopropanol or "n-butanol" or butanol or isobutanol or "tert-butanol" or methoxypropanol or acetone or (butyl near glycol)) with (aluminum or aluminium) with oxid \$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/03/11 15:14
S87	904	((organic near solvent) or alcohol or ketone or glycol or ethanol or propanol or isopropanol or "n-butanol" or butanol or isobutanol or "tert-butanol" or methoxypropanol or acetone or (butyl near glycol)) with (aluminum or aluminium) with oxid \$6 same pigment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/03/11 15:15
S88	696	((organic near solvent) or alcohol or ketone or glycol or ethanol or propanol or isopropanol or "n-butanol" or butanol or isobutanol or "tert-butanol" or methoxypropanol or acetone or (butyl near glycol)) with (aluminum or aluminium) with oxid \$6 with pigment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/03/11 15:15
S89	3	((organic near solvent) or alcohol or ketone or glycol or ethanol or propanol or isopropanol or "n-butanol" or butanol or isobutanol or "tert-butanol" or methoxypropanol or acetone or (butyl near glycol)) with (aluminum or aluminium) with oxid \$6 same pigment same (oxidizing near agent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/03/11 15:15
S90	5	((high near refractive) with (iron adj oxide)) same ((low near refractive) with (silicon near oxide))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/03/11 16:33

S91	0	((high near refractive) with (iron adj oxide) with value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/03/11 16:39
S92	2	((high near refractive) with (iron adj oxide) with ("1.8\$" or "1.9\$"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/03/11 16:39
S93	70	(low near refractive) with (silicon adj (oxide or dioxide)) with ("1.8\$" or "1.9\$" or "1.7\$" or "1.6 \$" or "1.3\$")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/03/11 16:41
S94	2	(low near refractive) with (silicon adj (oxide or dioxide)) with ("1.8\$" or "1.7\$" or "1.6\$") same pigment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/03/11 16:44
S95	2	("5624486").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/03/11 17:21
S96	2	S95 and (paint or cosmetic or coating or printing or ink or plastic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/03/11 17:22
S97	2	(aluminum near5 pigment near5 surface) with coat with organic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/03/12 09:23
S98	0	EP-0848735-\$ did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/03/12 09:26
S99	1	EP-848735-\$ did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/03/12 09:26

3/12/2008 12:30:09 PM

C:\Documents and Settings\pparvini\My Documents\EAST\Workspaces\10580120\_effect pigment comprising an aluminum core.wsp